

IETF IPv6 Request for Comments (RFCs)
Updated – 2008-12-01



| RFC | Title |
|-------------|---|
| 5380 | Hierarchical Mobile IPv6 (HMIPv6) Mobility Management |
| 5350 | IANA Considerations for the IPv4 and IPv6 Router Alert Options |
| 5340 | OSPF for IPv6 (Obsoletes RFC2740) |
| 5308 | Routing IPv6 with IS-IS |
| 5271 | Mobile IPv6 Fast Handovers for 3G CDMA Networks |
| 5270 | Mobile IPv6 Fast Handovers over IEEE 802.16e Networks |
| 5269 | Distributing a Symmetric Fast Mobile IPv6 (FMIPv6) Handover Key Using SEcure Neighbor Discovery (SEND) |
| 5268 | Mobile IPv6 Fast Handovers |
| 5214 | Intra-Site Automatic Tunnel Addressing Protocol (ISATAP) (Obsoletes RFC4214) |
| 5213 | Proxy Mobile IPv6 |
| 5181 | IPv6 Deployment Scenarios in 802.16 Networks |
| 5180 | IPv6 Benchmarking Methodology for Network Interconnect Devices |
| 5175 | IPv6 Router Advertisement Flags Option (Obsoletes RFC5075) |
| 5172 | Negotiation for IPv6 Datagram Compression Using IPv6 Control Protocol (Obsoletes RFC2472) |
| 5157 | IPv6 Implications for Network Scanning |
| 5156 | Special-Use IPv6 Addresses |
| 5149 | Service Selection for Mobile IPv6 |
| 5121 | Transmission of IPv6 via the IPv6 Convergence Sublayer over IEEE 802.16 Networks |
| 5118 | Session Initiation Protocol (SIP) Torture Test Messages for Internet Protocol Version 6 (IPv6) |
| 5096 | Mobile IPv6 Experimental Messages |
| 5095 | Deprecation of Type 0 Routing Headers in IPv6 |
| 5094 | Mobile IPv6 Vendor Specific Option |
| 5072 | IP Version 6 over PPP (Obsoletes RFC2472) |
| 5014 | IPv6 Socket API for Source Address Selection |
| 5007 | DHCPv6 Leasequery |
| 5006 | IPv6 Router Advertisement Option for DNS Configuration |
| 4977 | Problem Statement: Dual Stack Mobility |
| 4968 | Analysis of IPv6 Link Models for 802.16 Based Networks |
| 4944 | Transmission of IPv6 Packets over IEEE 802.15.4 Networks |
| 4943 | IPv6 Neighbor Discovery On-Link Assumption Considered Harmful |
| 4942 | IPv6 Transition/Co-existence Security Considerations |
| 4941 | Privacy Extensions for Stateless Address Autoconfiguration in IPv6 (Obsoletes RFC3041) |
| 4919 | IPv6 over Low-Power Wireless Personal Area Networks (6LoWPANs): Overview, Assumptions, Problem Statement, and Goals |
| 4891 | Using IPsec to Secure IPv6-in-IPv4 Tunnels |
| 4890 | Recommendations for Filtering ICMPv6 Messages in Firewalls |
| 4882 | IP Address Location Privacy and Mobile IPv6: Problem Statement |

| |
|---|
| 4877 Mobile IPv6 Operation with IKEv2 and the Revised IPsec Architecture (Updates RFC3776) |
| 4866 Enhanced Route Optimization for Mobile IPv6 |
| 4864 Local Network Protection for IPv6 |
| 4862 IPv6 Stateless Address Autoconfiguration (Obsoletes RFC2462) |
| 4861 Neighbor Discovery for IP version 6 (IPv6) (Obsoletes RFC2461) |
| 4852 IPv6 Enterprise Network Analysis - IP Layer 3 Focus |
| 4843 An IPv6 Prefix for Overlay Routable Cryptographic Hash Identifiers (ORCHID) |
| 4818 RADIUS Delegated-IPv6-Prefix Attribute |
| 4798 Connecting IPv6 Islands over IPv4 MPLS Using IPv6 Provider Edge Routers (6PE) |
| 4779 ISP IPv6 Deployment Scenarios in Broadband Access Networks |
| 4773 Administration of the IANA Special Purpose IPv6 Address Block |
| 4727 Experimental Values In IPv4, IPv6, ICMPv4, ICMPv6, UDP, and TCP Headers |
| 4704 The DHCPv6 Client Fully Qualified Domain Name (FQDN) Option |
| 4692 Considerations on the IPv6 Host Density Metric |
| 4671 RADIUS Accounting Server MIB for IPv6 (Obsoletes RFC2621) |
| 4670 RADIUS Accounting Client MIB for IPv6 (Obsoletes RFC2620) |
| 4669 RADIUS Authentication Server MIB for IPv6 (Obsoletes RFC2619) |
| 4668 RADIUS Authentication Client MIB for IPv6 (Obsoletes RFC2618) |
| 4659 BGP-MPLS IP Virtual Private Network (VPN) Extension for IPv6 VPN |
| 4651 A Taxonomy and Analysis of Enhancements to Mobile IPv6 Route Optimization |
| 4649 DHCPv6 Relay Agent Remote-ID Option |
| 4640 Problem Statement for bootstrapping Mobile IPv6 (MIPv6) |
| 4620 IPv6 Node Information Queries |
| 4607 Source-Specific Multicast for IP |
| 4584 Extension to Sockets API for Mobile IPv6 |
| 4580 DHCPv6 Relay Agent Subscriber-ID Option |
| 4554 Use of VLANs for IPv4-IPv6 Coexistence in Enterprise Networks |
| 4489 A Method for Generating Link-Scoped IPv6 Multicast Addresses (Updates RFC3306) |
| 4487 Mobile IPv6 and Firewalls: Problem Statement |
| 4477 DHCP: IPv4 and IPv6 Dual-Stack Issues |
| 4472 Operational Considerations and Issues with IPv6 DNS |
| 4449 Securing Mobile IPv6 Route Optimization Using a Static Shared Key |
| 4443 ICMPv6 for the IPv6 (Obsoletes RFC2463, Updates RFC2780) |
| 4429 Optimistic Duplicate Address Detection (DAD) for IPv6 |
| 4392 IP over InfiniBand (IPoIB) Architecture |
| 4380 Teredo: Tunneling IPv6 over UDP through Network Address Translations (NATs) |
| 4339 IPv6 Host Configuration of DNS Server Information Approaches |
| 4338 Transmission of IPv6, IPv4, and ARP Packets over Fibre Channel (Obsoletes RFC3831, RFC2625) |
| 4330 Simple Network Time Protocol (SNTP) Version 4 for IPv4, IPv6 and OSI (Obsoletes RFC2030, RFC1769) |
| 4311 IPv6 Host-to-Router Load Sharing (Updates RFC2461) |
| 4305 Cryptographic Algorithm Implementation Requirements for Encapsulating Security Payload (ESP) and Authentication Header (AH) (Obsoletes RFC2404, RFC2406) |

| | |
|-------------|---|
| 4303 | IP Encapsulating Security Payload (ESP) (Obsoletes RFC2406) |
| 4302 | IP Authentication Header (Obsoletes RFC2402) |
| 4301 | Security Architecture for the Internet Protocol (Obsoletes RFC2401) |
| 4295 | Mobile IPv6 Management Information Base |
| 4294 | IPv6 Node Requirements |
| 4291 | IP Version 6 Addressing Architecture (Obsoletes RFC3513) |
| 4285 | Authentication Protocol for Mobile IPv6 |
| 4283 | Mobile Node Identifier Option for Mobile IPv6 (MIPv6) |
| 4260 | Mobile IPv6 Fast Handovers for 802.11 Networks |
| 4242 | Information Refresh Time Option for DHCPv6 |
| 4241 | A Model of IPv6/IPv4 Dual Stack Internet Access Service |
| 4219 | Things Multihoming in IPv6 (MULTI6) Developers Should Think About |
| 4218 | Threats Relating to IPv6 Multihoming Solutions |
| 4215 | Analysis on IPv6 Transition in Third Generation Partnership Project (3GPP) Networks |
| 4213 | Basic Transition Mechanisms for IPv6 Hosts and Routers |
| 4193 | Unique Local IPv6 Unicast Addresses |
| 4192 | Procedures for Renumbering an IPv6 Network without a Flag Day |
| 4191 | Default Router Preferences and More-Specific Routes |
| 4177 | Architectural Approaches to Multi-homing for IPv6 |
| 4159 | Deprecation of ip6.int (BCP0109) |
| 4147 | Proposed Changes to the Format of the IANA IPv6 Registry |
| 4140 | Hierarchical Mobile IPv6 Mobility Management (HMIPv6) |
| 4135 | Goals of Detecting Network Attachment in IPv6 |
| 4113 | Management Information Base for the User Datagram Protocol (UDP) |
| 4087 | IP Tunnel MIB |
| 4076 | Renumbering Requirements for Stateless DHCPv6 |
| 4074 | Common Misbehavior Against DNS Queries for IPv6 Addresses |
| 4065 | Instructions for Seamoby and Experimental Mobility Protocol IANA Allocations |
| 4057 | IPv6 Enterprise Network Scenarios |
| 4038 | Application Aspects of IPv6 Transition |
| 4029 | Scenarios and Analysis for Introducing IPv6 into ISP Networks |
| 4022 | Management Information Base for the Transmission Control Protocol (TCP) |
| 4007 | IPv6 Scoped Address Architecture |
| 3974 | SMTP Operational Experience in Mixed IPv4/v6 Environments |
| 3972 | Cryptographically Generated Addresses (CGA) |
| 3971 | SEcure Neighbor Discovery (SEND) |
| 3963 | Network Mobility (NEMO) Basic Support Protocol |
| 3956 | Embedding the Rendezvous Point (RP) Address in an IPv6 Multicast Address |
| 3919 | Remote Network Monitoring (RMON) Protocol Identifiers for IPv6 and MPLS |
| 3904 | Evaluation of IPv6 Transition Mechanisms for Unmanaged Networks |
| 3901 | DNS IPv6 Transport Operational Guidelines (BCP0091) |
| 3898 | Network Information Service (NIS) Configuration Options for DHCPv6 |
| 3879 | Deprecating Site Local Addresses |
| 3849 | IPv6 Address Prefix Reserved for Documentation |
| 3831 | Transmission of IPv6 Packets over Fibre Channel |

| | |
|-------------|---|
| 3810 | Multicast Listener Discovery Version 2 (MLDv2) for IPv6 |
| 3776 | Using IPsec to Protect Mobile IPv6 Signaling Between Mobile Nodes and Home Agents |
| 3775 | Mobility Support in IPv6 |
| 3769 | Requirements for IPv6 prefix delegation |
| 3756 | IPv6 Neighbor Discovery (ND) Trust Models and Threats |
| 3750 | Unmanaged Networks IPv6 Transition Scenarios |
| 3736 | Stateless Dynamic Host Configuration Protocol (DHCP) Service for IPv6 |
| 3701 | 6bone (IPv6 Testing Address Allocation) Phaseout (Obsoletes RFC2471) |
| 3697 | IPv6 Flow Label Specification |
| 3646 | DNS Configuration options for Dynamic Host Configuration Protocol for IPv6 (DHCPv6) |
| 3633 | IPv6 Prefix Options for Dynamic Host Configuration Protocol (DHCP) version 6 |
| 3595 | Textual Conventions for IPv6 Flow Label |
| 3590 | Source Address Selection for the MLD Protocol |
| 3587 | Global Unicast Address Format (Obsoletes RFC2374) |
| 3582 | Goals for IPv6 Site-Multihoming Architectures |
| 3574 | Transition Scenarios for 3GPP Networks |
| 3572 | IPv6 over MAPOS (Multiple Access Protocol Over SONET/SDH) |
| 3542 | Advanced Sockets Application Program Interface (API) for IPv6 (Obsoletes RFC2292) |
| 3531 | A Flexible Method for Managing the Assignment of Bits of an IPv6 Address Block |
| 3513 | IPv6 Addressing Architecture (Obsoletes RFC2373) |
| 3493 | Basic Socket Interface Extensions for IPv6 (Obsoletes RFC2553) |
| 3484 | Default Address Selection for Internet Protocol version 6 |
| 3364 | Tradeoffs in Domain Name System (DNS) Support for Internet Protocol version 6 (IPv6) (Updates RFC2673, RFC2874) |
| 3363 | Representing Internet Protocol version 6 (IPv6) Addresses in the Domain Name System (DNS) (Updates RFC2673, RFC2874) |
| 3316 | IPv6 for Some Second and Third Generation Cellular Hosts |
| 3315 | Dynamic Host Configuration Protocol for IPv6 (DHCPv6) |
| 3314 | Recommendations for IPv6 in 3GPP Standards |
| 3307 | Allocation Guidelines for IPv6 Multicast Addresses |
| 3306 | Unicast-Prefix-based IPv6 Multicast Addresses (Updated by RFC3956) |
| 3266 | Support for IPv6 in Session Description Protocol (SDP) (Updates RFC2327) |
| 3226 | DNSSEC and IPv6 A6 aware server/resolver message size requirements (Updates RFC2535, RFC2874, Updated by RFC4033, RFC4034, RFC4035) |
| 3178 | IPv6 multihoming support at site exit routers |
| 3177 | IAB/IESG Recommendations on IPv6 Address |
| 3175 | Aggregation of RSVP for IPv4 and IPv6 Reservations |
| 3162 | RADIUS for IPv6 |
| 3146 | Transmission of IPv6 Packets over IEEE 1394 Networks |
| 3142 | An IPv6-to-IPv4 Transport Relay Translator |
| 3122 | Extensions to IPv6 Neighbor Discovery for Inverse Discovery Specification |
| 3111 | Service Location Protocol Modifications for IPv6 |
| 3089 | A SOCKS-based IPv6/IPv4 Gateway Mechanism |
| 3068 | An Anycast Prefix for 6to4 Relay Routers |

| | |
|-------------|---|
| 3056 | Connection of IPv6 Domains via IPv4 |
| 3053 | IPv6 Tunnel Broker |
| 3019 | IP Version 6 Management Information Base for The Multicast Listener Discovery |
| 2928 | Initial IPv6 Sub-TLA ID |
| 2921 | 6BONE pTLA and pNLA Formats (pTLA) |
| 2894 | Router Renumbering for IPv6 |
| 2874 | DNS Extensions to Support IPv6 Address Aggregation and Renumbering (Updates RFC1886, Updated by RFC3152, RFC3226, RFC3363, RFC3364) |
| 2858 | Multiprotocol Extensions to BGP |
| 2772 | 6Bone TLA Policy |
| 2767 | Dual Stack Hosts using the Bump-In-the-Stack Technique (BIS) |
| 2766 | Network Address Translation - Protocol Translation (NAT-PT) (Updated by RFC3152) |
| 2765 | Stateless IP/ICMP Translation Algorithm (SIIT) |
| 2732 | Format for Literal IPv6 Addresses in URL's |
| 2711 | IPv6 Router Alert Option |
| 2710 | Multicast Listener Discovery (MLD) for IPv6 (Updated by RFC3590, RFC3810) |
| 2675 | IPv6 Jumbograms (Obsoletes RFC2147) |
| 2590 | Transmission of IPv6 Packets over Frame Relay |
| 2545 | Use of BGP-4 Multiprotocol Extensions for IPv6 Inter-Domain Routing |
| 2529 | Transmission of IPv6 over IPv4 Domains without Explicit Tunnels |
| 2526 | Reserved IPv6 Subnet Anycast Addresses |
| 2497 | Transmission of IPv6 Packets over ARCnet Networks |
| 2492 | IPv6 over ATM Networks |
| 2491 | IPv6 over Non-Broadcast Multiple Access (NBMA) networks |
| 2474 | Definition of the Differentiated Services Field (DS Field) in the IPv4 and IPv6 Headers |
| 2473 | Generic Packet Tunneling in IPv6 Specification |
| 2470 | Transmission of IPv6 Packets over Token Ring Networks |
| 2467 | Transmission of IPv6 Packets over FDDI Networks |
| 2466 | Management Information Base for IP Version 6: ICMPv6 Group |
| 2465 | Management Information Base for IP Version 6: Textual Conventions and General Group |
| 2464 | Transmission of IPv6 Packets over Ethernet Networks |
| 2460 | Internet Protocol, Version 6 (IPv6) Specification |
| 2454 | IP Version 6 Management Information Base for the User Datagram Protocol |
| 2452 | IP Version 6 Management Information Base for the Transmission Control Protocol |
| 2450 | Proposed TLA and NLA Assignment Rule |
| 2428 | FTP Extensions for IPv6 and NATs |
| 2411 | IP Security Document Roadmap |
| 2375 | IPv6 Multicast Address Assignments |
| 2365 | Administratively Scoped IP Multicast |
| 2283 | Multiprotocol Extensions for BGP-4 |
| 2200 | Internet Official Protocol Standards |
| 2185 | Routing Aspects of IPv6 Transition |
| 2133 | Basic Socket Interface Extensions for IPv6 |
| 2080 | RIPng for IPv6 |
| 2073 | An IPv6 Provider - Based Unicast Address Format |

| | |
|-------------|--|
| 2030 | Simple Network Time Protocol for IPv4, IPv6 and OSI |
| 2023 | IP version 6 over PPP – now 2472 |
| 2019 | A Method for Transmission of IPv6 Packets over FDDI – now 2467 |
| 1981 | Path MTU Discovery for IPv6 |
| 1972 | A Method for Transmission of IPv6 Packets over Ethernet Networks |
| 1971 | IPv6 Stateless Address Autoconfiguration |
| 1970 | Neighbor Discovery for IP Version 6 (IPv6) |
| 1955 | New Scheme for Internet Routing and Addressing (ENCAPS) for IPng |
| 1933 | Transition Mechanisms for IPv6 Hosts and Routers |
| 1924 | A Compact Representation of IPv6 Addresses |
| 1897 | IPv6 Testing Address Allocation |
| 1888 | OSI NSAPs and IPv6 |
| 1887 | An Architecture for IPv6 Unicast Address Allocation |
| 1886 | DNS Extensions to support IP version 6 |
| 1885 | Internet Control Message Protocol (ICMPv6) for the IPv6 |
| 1884 | IP Version 6 Addressing Architecture |
| 1883 | Internet Protocol, Version 6 (IPv6) Specification |
| 1881 | IPv6 Address Allocation Management |
| 1827 | IP Encapsulating Security Payload (ESP) |
| 1826 | IP Authentication Header |
| 1825 | Security Architecture for the Internet Protocol |
| 1810 | Report on MD5 Performance |
| 1809 | Using the Flow Label Field in IPv6 |
| 1776 | The Address is the Message |
| 1753 | IPng Technical Requirements of the Nimrod Routing and Addressing |
| 1752 | The Recommendation for the IP Next Generation Protocol |
| 1726 | Technical Criteria for Choosing IP The Next Generatio (IPng) |
| 1719 | A Direction for IPng |
| 1715 | The H Ratio for Address Assignment Efficiency |
| 1710 | Simple Internet Protocol Plus White Paper |
| 1707 | CATNIP: Common Architecture for the Internet |
| 1705 | Six Virtual Inches to the Left: The Problem with IPng |
| 1700 | Assigned Numbers |
| 1688 | IPng Mobility Considerations |
| 1687 | A Large Corporate User's View of IPng |
| 1686 | IPng Requirements: A Cable Television Industry Viewpoint |
| 1683 | Multiprotocol Interoperability in IPng |
| 1682 | IPng BSD Host Implementation Analysis |
| 1680 | IPng Support for ATM Services |
| 1679 | HPN Working Group Input to the IPng Requirements Solicitation |
| 1678 | IPng Requirements of Large Corporate Networks |
| 1677 | Tactical Radio Frequency Communication Requirements for IPng |
| 1676 | INFN Requirements for an IPng |
| 1675 | Security Concerns for IPng |
| 1674 | A Cellular Industry View of IPng |

| | |
|------|---|
| 1673 | Electric Power Research Institute Comments on IPng |
| 1672 | Accounting Requirements for IPng |
| 1671 | IPng White Paper on Transition and Other Considerations |
| 1670 | Input to IPng Engineering Considerations |
| 1669 | Market Viability as a IPng Criteria |
| 1668 | Unified Routing Requirements for IPng |
| 1667 | Modeling and Simulation Requirements for IPng |
| 1622 | Pip Header Processing |
| 1621 | Pip Near-term Architecture |
| 1550 | IP: Next Generation (IPng) White Paper Solicitation |
| 1475 | TP/IX: The Next Internet |
| 1454 | Comparison of Proposals for Next Version of IP |

See Also: <http://playground.sun.com/ipng/specs/specifications.html>

IETF RFC Index

<http://rfc-editor.org>

IPv6 working group

<http://www.ietf.org/html.charters/ipv6-charter.html>

Mobile IPv6 working group

<http://www.ietf.org/html.charters/mip6-charter.html>

Site Multihoming working group

<http://www.ietf.org/html.charters/shim6-charter.html>

v6ops IPv6 Operations

<http://www.ietf.org/html.charters/v6ops-charter.html>